

Bio C - Zinc

(Capsule)

COMPOSITION:

Each Capsule contains: Vitamin C 500mg, Zinc (Zinc gluconate) 10mg.

EXCIPIENTS: Magnesium stearate, Dicalcium phosphate, Talc, Silicon Dioxide.

DESCRIPTION:

Vitamin C (ascorbic acid) is water-soluble vitamin, an antioxidant which has an important function Anti-radical, oxidation stress.

Vitamin C improves the uptake of iron from the intestine In addition, it improves the formation of connective tissue and bandaging wounds.

Zinc is an essential mineral involved in numerous enzymes. It plays a role in antioxidant enzymes, and Support the immune system, improving fertility for men.

USES:

Vitamin C and zinc together help the body's natural defense against damaging free radicals and help boost immune function.

Free radicals are highly reactive and unstable chemicals generated during normal body activities that require oxygen. Vitamin C and zinc also function as cofactors of enzymes involved in collagen formation and synthesis. Collagen provides strength and elasticity to the skin and helps promote faster wound healing.

UNDESIRABLE EFFECTS:

A High Amount Of Oxalic Acid In Urine.

An Increased Need To Urinate.

Diarrhea, DifficultySleeping, Headache, Heartburn, LowEnergy, Nausea,Stomach Cramps, Temporary Redness Of Face and Neck, Vomiting.



EN ISO 9001
EN ISO 14001
ISO 45001

WARNINGS AND PRECAUTIONS:

Taking nutritional supplements doesn't replace eating a healthy, balanced diet.

Consult a doctor or pharmacist before taking any nutritional supplement and if you suffer from certain health conditions or taking certain medications.

Patients suffering from severe renal insufficiency or renal failure must not take **Bio C - Zinc**. This includes patients on dialysis.

Patients suffering from Hemochromatosis must not take **Bio C - Zinc**.

OVERDOSAGE:

Vitamin C: Prolonged intake of vitamin C in excess of 2 g/day may lead to nausea, abdominal cramps, diarrhea, and nose bleeds.

Zinc: Rare occurrences of acute zinc poisoning have been reported. The toxicity signs observed after ingestion of high zinc doses (4 to 8 grams) include nausea, vomiting, diarrhea, fever, metallic taste, and lethargy (sleepiness).

DOSE:

One capsule daily

STORAGE:

Store in dry place at room temperature (15-30 °C), Protected from light and out of the reach of children

PRESENTATION:

Bio C-Zinc : Carton box contains Plastic Bottle contains 30 Capsules.

Biomedpharma for Pharmaceutical Industries
P.O.Box 7565 Damascus
Tel.: 5961800 - 5961103 – Fax: 5962493
E-mail: biomedpharma@mail.sy



TPP2100090



EN ISO 9001
EN ISO 14001
ISO 45001
TUV AUSTRIA CERT GMBH

حالات صحية معينة أو تناول أدوية معينة.

يجب على المرضى الذين يعانون من قصور كلوي حاد أو فشل كلوي عدم تناول بيوسي -زنك.

و هذا يشمل مرضى غسيل الكلى.
يجب على المرضى الذين يعانون من داء ترسب الأصبغة الدموية عدم تناول بيوسي -زنك.

زيادة الجرعة:
فيتامين C: قد يؤدي تناول فيتامين سي لفترات طويلة التي تزيد عن ٢ جرام / يوم

إلى الشغاف وتشنجات البطن والإسهال وتزيف الألف.

الزنك: تم الإبلاغ عن حالات نادرة للتسمم الحاد بالزنك. علامات السمية التي لوحظت بعد تناول جرعات عالية من الزنك (من ٤ إلى ٨ جرامات) تشمل

الثداب والقى، والإسهال والحمى والطعم المعدني والخمول (الغاس).

الجرعة:

كبسولة واحدة يومياً.

الحفظ:

يحفظ في مكان جاف بدرجة حرارة الغرفة (١٥-٣٠°C) بعيداً عن الضوء ومتناول الأطفال.

التبيه:

بيوسى-زنك: عبوة كرتونية تحوى عبوة بلاستيكية تحوى ٣٠ كبسولة.

(كبسول)

بيوسى - زنك

التركيب:

كل كبسولة تحتوى: فيتامين C ٥٠٠ ملغم، زنك(غلوكونات الزنك) ١٠ ملغم.

السواغات:

شماعات المغنتيزيوم، فوسفات ثنائية الكالسيوم، التالك وثاني أكسيد السيليكا.

الخصائص:

فيتامين C (حمض الأسكوربيك): هو فيتامين قابل للذوبان في الماء، وهو أحد مضادات الأكسدة التي لها وظيفة مهمة كمضاد للجذور الحرة والاجهاد الناكسدي.

يحسن فيتامين C من امتصاص الحديد من الأطعمة، بالإضافة إلى ذلك، فإنه يحسن تشكيل النسيج الضام والنظام الجروحي.

الزنك: معدن أساسى يدخل في العديد من الإنزيمات. يلعب دوراً في الإنزيمات المساعدة للأكسدة ودعم الجهاز المناعي، تحسين الخصوبة عند الرجال.

الاستعمال:

يساعد فيتامين C والزنك معاً في الدفاع الطبيعي للجسم ضد الجذور الحرة الضارة ويساعدان في تعزيز وظيفة المناعة.

الجذور الحرة هي مواد كيميائية شديدة التفاعل وغير مستقرة تتولد أثناء أنشطة

الجسم العادي التي تطلب الأكسجين.

يعمل فيتامين C والزنك أيضًا كمأمول مساعد للإنزيمات المشاركة في تكوين الكولاجين، يوفر الكولاجين القوة والمرنة للجلد ويساعد على التئام الجروح بشكل أسرع.

الآثار غير المرغوبة:

كمية عالية من حمض الأكساليك في البول، زيادة الحاجة للتبول، إسهال، صعوبة النوم، صداع الرأس، حرقة في المعدة، طاقة منخفضة، غثيان، تقلصات المعدة، أحمرار مؤقت للوجه والرقبة، التقيؤ.

التحذيرات والاحتياطات:

لا يعني استخدام المنتجات الغذائية عن تناول الغذاء الصحي المتوازن.
استشر الطبيب أو الصيدلاني قبل تناول أي متمم غذائي وإذا كنت تعاني من

TPP2100090



شركة بيوميدفارما للصناعات الدوائية - صب ٧٥٦٥ - دمشق
هاتف: ٥٩٦١١٠٣ - ٥٩٦١٨٠٠ - فاكس: ٥٩٦٢٤٩٣
بريد الكترونى: biomedpharma@mail.sy